

# Product Portfolio

TANDBERG  
**MPS Series**



MPS 800  
Pictured

The TANDBERG Media Processing Systems (MPS 200 and MPS 800) are reliable, scalable multi point control units. Provide a centralized solution with low life cycle costs and feature-rich support for video endpoints.

- Join up to 40 video and 32 audio sites with MPS 200 or up to 160 video and 48 audio sites with MPS 800
- 19" rack-mountable chassis
- Modular and expandable
- Bandwidth: 56 kbps - 2 Mbps on choice of network (IP, ISDN, V.35)

TANDBERG  
**MCU**



Easily deployable and scalable, the TANDBERG Multipoint Control Unit (MCU) is designed specifically for the distributed enterprise.

- Compact size: 1U tall and 19" rack-mountable
- Join up to 16 video and 16 audio sites
- Bandwidth: 56 kbps - 2 Mbps on choice of network (IP, ISDN)

TANDBERG  
**Gatekeeper**



The TANDBERG Gatekeeper is a high-performance, reliable, secure and easy-to-use gatekeeper designed to complement TANDBERG's infrastructure solutions.

- Compact size: 1U tall and 19" rack-mountable
- Secure management and lock-down support
- Embedded setup wizard for easy installation
- Scalable up from 25 to 200 concurrent calls
- Multi-vendor support
- Expressway firewall traversal

TANDBERG  
**ISDN Gateway**



A gateway that offers unparalleled simplicity. Provides seamless integration between IP and ISDN networks with complete feature transparency and protection from network interruptions.

- Compact size: 1U tall and 19" rack-mountable
- Provides seamless integration between IP based services and ISDN
- Complete multipoint transparency
- Bandwidth per call: 56 kbps - 2 Mbps
- Expressway firewall traversal

TANDBERG  
**3G Gateway**



A gateway that provides seamless integration between IP and 3G networks for unparalleled mobile video communication. A scalable solution for enterprises, 3G mobile operators and video service providers to connect 3G mobile phones with any video system.

- Provides seamless integration between 3G networks and IP based video services
- Simple and secure management
- Scalable and reliable
- Expressway firewall traversal
- Supports 3G bandwidth (64 kbps)

TANDBERG  
**Border Controller**



As part of the Expressway™ firewall traversal solution, the TANDBERG Border Controller is designed to simplify dialing and firewall traversal for all H.323 devices.

- Compact size: 1U tall and 19" rack-mountable
- Easy setup and installation
- Full multi-vendor support
- Allows URI dialing for massive scalability
- Multi-firewall support

TANDBERG  
**Management Suite**



A web-based application for administrators, the TANDBERG Management Suite (TMS) streamlines the management, maintenance and scheduling of an entire video network.

- Intuitive user interface with graphics
- Detailed system-by-system and conference-by-conference details
- Manage endpoints and infrastructure directly
- Multiple vendor support
- Scheduling using Microsoft Outlook® or IBM Lotus Notes®
- Supports Microsoft Live Office Communicator®
- Supports IBM Lotus Sametime®

TANDBERG  
**Scheduler**



An intuitive, web-based scheduling tool for anyone in the organization. Quick, point-and-click steps simplify scheduling and increase usage.

- For use with an unlimited number of users on a video network
- Schedule video, audio, web and data conferences
- Schedule multiple meetings simultaneously
- Intuitive interface available in multiple languages

TANDBERG  
**Content Server**



With TANDBERG's Content Server, you can create business-quality multimedia content easily from any H.323 videoconferencing endpoint. Access on-demand video content anywhere, anytime from any PC.

- Stream and archive video and live H.239 dual stream presentations
- Stream content in Microsoft Windows Media®, Apple QuickTime® and RealPlayer® formats
- LCD panel for easy installation
- Expressway compatible
- Support up to five concurrent videoconferences

# Product Portfolio

TANDBERG

## 8000 MXP



For the boardroom. Sleek, elegant design combined with state-of-the-art engineering. 50" plasma screens and a best-in-class audio system provide the ultimate video experience.

- Dual 50" plasma monitors with widescreen format
- Join up to 6 video and 5 audio sites with embedded MultiSite functionality
- Up to 4 Mbps H.323/4 Mbps SIP/ 2 Mbps H.320/6 Mbps total MultiSite
- Easily share PC presentations
- CD-quality stereo and Digital NAM

TANDBERG

## 7000 MXP



For the boardroom and executive conference room. Shares the performance features of the TANDBERG 8000, with a more compact profile.

- Dual 30" LCD monitors with widescreen format
- Join up to 6 video and 5 audio sites with embedded MultiSite functionality
- Up to 4 Mbps H.323/4 Mbps SIP/ 2 Mbps H.320/6 Mbps total MultiSite
- Easily share PC presentations
- CD-quality stereo and Digital NAM

TANDBERG

## 6000 MXP Profile



For medium- to large-sized meeting rooms and boardrooms. High-end performance features, large flatscreen monitor and CD-quality, stereo audio create a collaborative meeting environment.

- 16:9 flatscreen plasma monitor (43" or 50")
- Standard wall-mount with pedestal and optional wheel base
- Up to 4 Mbps H.323/4 Mbps SIP/ 2 Mbps H.320/6 Mbps total MultiSite
- Join up to 6 video and 5 audio sites with embedded MultiSite functionality
- Easily share PC presentations
- CD-quality, stereo audio provided through 5 integrated speakers

TANDBERG

## 3000 MXP Profile



For medium-sized meeting rooms. A complete, integrated system in a compact package. Integrated audio module for CD-quality sound experience.

- 16:9 flatscreen monitor (32" LCD or 43" plasma)
- Standard wall-mount with pedestal and optional wheel base
- Up to 2 Mbps H.323/2 Mbps SIP/ 512 kbps H.320/2.3 Mbps total MultiSite
- Join up to 4 video and 3 audio sites with embedded MultiSite functionality
- Easily share PC presentations
- CD-quality, stereo audio provided through 2 integrated speakers

TANDBERG

## 2000 MXP



Designed for small groups and offices. Mobile, wireless system features CD-quality audio and superior presentation capabilities.

- Integrated 23" widescreen LCD
- Join up to 4 video sites and 3 audio sites with embedded MultiSite functionality
- Up to 2 Mbps H.323/2 Mbps SIP/ 512 kbps H.320/2.3 Mbps total MultiSite
- Easily share PC presentations
- CD-quality audio and stereo
- **Video telephony version available for Cisco® CallManager**

TANDBERG

## 1500 MXP



Wireless, secure video communication for executive offices.

- Integrated 19" widescreen LCD
- Join up to 4 video sites and 3 audio sites with embedded MultiSite functionality
- Up to 2 Mbps H.323/2 Mbps SIP/ 512 kbps H.320/2.3 Mbps total MultiSite
- Easily share PC presentations
- CD-quality audio and stereo
- **Video telephony version available for Cisco® CallManager**

TANDBERG

## 1000 MXP



For offices and small groups. Fully integrated system delivers style and performance in equal measure.

- Integrated 12.1" LCD
- Up to 768 kbps H.323/768 kbps SIP/ 384 kbps H.320
- Easily share PC presentations
- True CD-quality audio
- **Video telephony version available for Cisco® CallManager**

TANDBERG

## 150 MXP



Business quality video for the individual workspace. Cost-effective, easy to use and provides embedded security for reliable communications.

- Integrated 8.4" LCD
- Up to 512 kbps H.323/512 kbps SIP
- Handset option available
- View presentations
- Place voice and video calls

TANDBERG

## 990 MXP



For medium- to small-sized meeting rooms as well as shared office environments. Incorporates the features and functions of larger systems in a portable, high performance set-top unit.

- Fits easily on any standard television monitor
- Join up to 4 video sites and 3 audio sites with embedded MultiSite functionality
- Up to 2 Mbps H.323/2 Mbps SIP/ 512 kbps H.320/2.3 Mbps total MultiSite
- Easily share PC presentations
- Optional MXP Profile Set-top Package available

# Product Portfolio

TANDBERG  
**880**  
MXP



For medium- to small-sized meeting rooms, and shared office environments. Provides high bandwidth capabilities for excellent quality point-to-point and multipoint calls in a flexible set-top system.

- Fits easily on any standard television monitor
- Join up to 4 video sites and 3 audio sites with embedded MultiSite functionality
- Up to 1.1 Mbps H.323/1.1 Mbps SIP / 384 kbps H.320/1.1 Mbps total MultiSite
- Easily share PC presentations
- Optional MXP Profile Set-top Package available

TANDBERG  
**770**  
MXP



For offices and small meeting rooms. This compact unit conveniently transforms any standard TV into an interactive meeting place, providing users with an outstanding business tool.

- Fits easily on any standard television monitor
- Up to 768 kbps H.323/768 kbps SIP / 128 kbps H.320
- Easily share PC presentations
- Optional MXP Profile Set-top Package available
- **Video telephony version available for Cisco® CallManager**

TANDBERG  
**550**  
MXP



For offices and small meeting rooms. Provides essential video features for face-to-face meetings with the quality and reliability found in all TANDBERG equipment.

- Compact set-top can be used with any standard television set
- Up to 768 kbps H.323/768 kbps SIP / 384 kbps H.320
- View presentations
- Optional MXP Profile Set-top Package available
- **Video telephony version available for Cisco® CallManager**

TANDBERG  
**Director**  
MXP\*



Rich media presentation tool for corporate, military and education applications. Based on the TANDBERG 6000 MXP Codec, the Director MXP turns an interactive whiteboard and video system into a powerful communication tool.

- 67" display with on-screen controls
- Join up to 6 video sites and 5 audio sites with embedded MultiSite functionality
- Up to 4 Mbps H.323/4 Mbps SIP / 2 Mbps H.320/6 Mbps total MultiSite

TANDBERG  
**Maestro**  
MXP



For medium- to large-sized meeting rooms. Built on the TANDBERG 6000 MXP Codec, the Maestro turns existing monitors and displays into interactive video systems.

- Leverages existing large screen displays and projectors
- Join up to 6 video sites and 5 audio sites with embedded MultiSite functionality
- Up to 4 Mbps H.323/4 Mbps SIP / 2 Mbps H.320/6 Mbps total MultiSite

TANDBERG  
**Intern**  
MXP\*



Video systems designed for healthcare applications including consultations, clinical studies and CME. Connect healthcare professionals and patients across the globe.

- Multiple mobile healthcare products available to meet specific application needs and room sizes
- Add peripheral medical and non-medical devices
- High resolution widescreen monitor for viewing clinical and non-clinical images side-by-side

TANDBERG  
**Tactical**  
MXP\*



Portable and compact video communication tool for use in even the most remote and extreme conditions. Fully integrated and wireless system is ideal for off-site communication such as construction sites, manufacturing floors, defense operations and in-field media correspondence.

- Fully integrated video system in a heavy-duty watertight case
- Meets most airline carry-on requirements
- Complete TANDBERG 3000 MXP core technology
- Ability to integrate Type 1 encryption devices
- High resolution wide screen monitor for optimal resolution of video and data

TANDBERG  
**Education**  
Series\*



Going beyond traditional needs of both instructors and students, the TANDBERG Education Series offers extensive options for corporate training, school classrooms and higher education.

- Multiple education products to meet specific application needs and room sizes
- Designed with input from educators to meet the demands of the education environment
- Intuitive touch panel facilitates simple instructor control

TANDBERG  
**Judicial**  
Series\*



Video systems designed to specifically meet the needs of judicial applications including video arraignment, video visitation and remote testimony.

- Multiple judicial products available to meet the specific application and environment needs of the facility
- Intuitive controls for fully interactive video proceedings
- Durable video package for communication to and from prisons and jails
- Simple video visitation solution for easy administration of correctional visitations

# Product Portfolio

TANDBERG

## Compass



Innovative, fully-integrated solution designed for public spaces. With simple controls, users can easily tap into resources such as information help desks, travel services and translation assistance.

- Ease-of-use through a five button interface and simplified user menus
- Completely integrated system including camera, display, handset, speakers and microphone
- Built-in LED light source for improved video image quality
- Wall-mount design with a VESA 100 compliant interface
- Built in key lock to secure system

TANDBERG

## Utility



Robust, fully-integrated solution designed for demanding environments. Users easily communicate from correctional facilities, manufacturing floors or university campuses with simple auto-dial capability.


- Designed for rugged applications in demanding environments
- Auto-dial and accept calls when handset is lifted
- Completely integrated system including camera, display, handset, speakers and microphone
- Built-in LED light source for improved video image quality
- Wall-mounted with a VESA 100 compliant interface
- Built in key lock to secure system

TANDBERG

## Constant Care Services

Protect your technology investment. Extend the lifetime of your products. TANDBERG's Constant Care Services fulfill customers' support needs from decision through deployment and beyond.

- Finance Services
- Core Services
- Global Deployment
- Professional Services
- Training
- Installation



\* Available in North America and other selected countries. Please visit [www.tandberg.net](http://www.tandberg.net) for more information.

All specifications subject to change without notice, system specifics may vary. | All images in these materials are for representational purposes only, actual products may differ. | TANDBERG and Expressway are registered trademarks or trademarks of TANDBERG in the U.S. and other countries. | All other trademarks are property of their respective owners. | Service availability may vary from region to region. Please contact your local TANDBERG reseller for more information.

TANDBERG WORLD HEADQUARTERS  
 Philip Pedersens vei 22  
 1366 Lysaker, Norway  
 Tel: +47 67 125 125  
 Fax: +47 67 125 234  
 Video: +47 67 117 777  
 E-mail: [tandberg@tandberg.net](mailto:tandberg@tandberg.net)

200 Park Avenue, Suite 2005  
 New York, NY U.S.A. 10166  
 Tel: +1 212 692 6500  
 Tel: +1 800 538 2884 (toll free in the U.S.)  
 Fax: +1 212 692 6501  
 Video: +1 212 692 6535  
 E-mail: [tandberg@tandbergusa.com](mailto:tandberg@tandbergusa.com)

January 2006